



Abmessungen HEA (IPBI) DIN 1025-3 Breitflanschträger

Abmessung	h mm	b mm	t _s mm	t _g mm	r mm	cm ²	kg/m	m ² /m
100	95	100	5,00	8,00	12	21,20	17,10	0,561
120	114	120	5,00	8,00	12	25,30	20,40	0,667
140	133	140	5,50	8,50	12	31,40	25,30	0,794
160	152	160	6,00	9,00	15	38,80	31,20	0,906
180	171	180	6,00	9,50	15	45,30	36,40	1,020
200	190	200	6,50	10,00	18	53,80	43,00	1,140
220	210	220	7,00	11,00	18	64,30	52,00	1,260
240	230	240	7,50	12,00	21	76,80	62,00	1,370
260	250	260	7,50	12,50	24	86,80	70,00	1,480
280	270	280	8,00	13,00	24	97,30	78,00	1,600
300	290	300	8,50	14,00	27	112,00	90,00	1,720
320	310	300	9,00	15,50	27	124,00	100,00	1,760
340	330	300	9,50	16,50	27	133,00	108,00	1,790
360	350	300	10,00	17,50	27	143,00	115,00	1,830
400	390	300	11,00	19,00	27	159,00	128,00	1,910
450	440	300	11,50	21,00	27	178,00	143,00	2,010
500	490	300	12,00	23,00	27	198,00	159,00	2,110
550	540	300	12,50	24,00	27	212,00	170,00	2,210
600	590	300	13,00	25,00	27	226,00	182,00	2,310
650	640	300	13,50	26,00	27	242,00	195,00	2,410
700	690	300	14,50	27,00	27	260,00	209,00	2,500
800	790	300	15,00	28,00	30	286,00	230,00	2,700
900	890	300	16,00	30,00	30	320,00	258,00	2,900
1000	990	300	16,50	31,00	30	347,00	279,00	3,100




Abmessungen HEB (IPBI) DIN 1025-2 Breitflanschträger

Abmessung	h mm	b mm	t _s mm	t _g mm	r mm	cm ²	kg/m	m ² /m
100	100	100	6,00	10,00	12	26,00	20,90	0,567
120	120	120	6,50	11,00	12	34,00	27,40	0,686
140	140	140	7,00	12,00	12	43,00	34,50	0,805
160	160	160	8,00	13,00	15	54,30	43,70	0,918
180	180	180	8,50	14,00	15	65,30	52,50	1,040
200	200	200	9,00	15,00	18	78,10	63,00	1,150
220	220	220	9,50	16,00	18	91,00	73,00	1,270
240	240	240	10,00	17,00	21	106,00	85,00	1,380
260	260	260	10,00	17,50	24	118,00	95,00	1,500
280	280	280	10,50	18,00	24	131,00	106,00	1,620
300	300	300	11,00	19,00	27	149,00	120,00	1,730
320	320	300	11,50	20,50	27	161,00	130,00	1,770
340	340	300	12,00	21,50	27	171,00	137,00	1,810
360	360	300	12,50	22,50	27	181,00	146,00	1,850
400	400	300	13,50	24,00	27	198,00	159,00	1,930
450	450	300	14,00	26,00	27	218,00	175,00	2,030
500	500	300	14,50	28,00	27	239,00	192,00	2,120
550	550	300	15,00	29,00	27	254,00	204,00	2,220
600	600	300	15,50	30,00	27	270,00	217,00	2,320
650	650	300	16,00	31,00	27	286,00	231,00	2,420
700	700	300	17,00	32,00	27	306,00	247,00	2,520
800	800	300	17,50	33,00	30	334,00	269,00	2,710
900	900	300	18,50	35,00	30	371,00	298,00	2,910
1000	1000	300	19,00	36,00	30	400,00	322,00	3,110




Abmessungen HEM (IPBv) DIN 1025-4 Breitflanschträger

Abmessung	h mm	b mm	t _s mm	t _g mm	r mm	cm ²	kg/m	m ² /m
100	120	106	12,00	20,00	12	53,20	42,80	0,619
120	140	126	12,50	21,00	12	66,40	53,40	0,738
140	160	146	13,00	22,00	12	80,50	64,80	0,857
160	180	166	14,00	23,00	15	97,10	78,10	0,970
180	200	186	14,50	24,00	15	113,00	91,10	1,090
200	220	206	15,00	25,00	18	131,00	106,00	1,200
220	240	226	15,50	26,00	18	149,00	120,00	1,320
240	270	248	18,00	32,00	21	200,00	161,00	1,480
260	290	263	18,00	32,50	24	220,00	176,00	1,570
280	310	288	18,50	33,00	24	240,00	194,00	1,690
300	340	310	21,00	39,00	27	303,00	244,00	1,830
320	359	309	21,00	40,00	27	312,00	251,00	1,870
340	377	309	21,00	40,00	27	316,00	254,00	1,900
360	395	308	21,00	40,00	27	319,00	256,00	1,930
400	432	307	21,00	40,00	27	326,00	262,00	2,000
450	478	307	21,00	40,00	27	335,00	270,00	2,100
500	524	306	21,00	40,00	27	344,00	277,00	2,180
550	572	306	21,00	40,00	27	354,00	285,00	2,280
600	620	305	21,00	40,00	27	364,00	292,00	2,370
650	668	306	21,00	40,00	27	374,00	300,00	2,470
700	716	304	21,00	40,00	27	383,00	309,00	2,560
800	814	303	21,00	40,00	30	404,00	325,00	2,750
900	910	302	21,00	40,00	30	424,00	341,00	2,930
1000	1008	302	21,00	40,00	30	444,00	358,00	3,130




Abmessungen IPE DIN 1025-5 Formstahl

Abmessung	h mm	b mm	t _s mm	t _g mm	r mm	cm ²	kg/m	m ² /m
80	80	46	3,80	5,20	5	7,64	6,20	0,328
100	100	55	4,10	5,70	7	10,30	8,30	0,400
120	120	64	4,40	6,30	7	13,20	10,70	0,475
140	140	73	4,70	6,90	7	16,40	13,20	0,551
160	160	82	5,00	7,40	9	20,10	16,20	0,623
180	180	91	5,30	8,00	9	23,90	19,30	0,698
200	200	100	5,60	8,50	12	28,50	23,00	0,768
220	220	110	5,90	9,20	12	33,40	26,90	0,848
240	240	120	6,20	9,80	15	39,10	31,50	0,922
270	270	135	6,60	10,20	15	45,90	37,00	1,040
300	300	150	7,10	10,70	15	53,80	43,30	1,160
330	330	160	7,50	11,50	18	62,60	50,40	1,250
360	360	170	8,00	12,70	18	72,70	58,60	1,350
400	400	180	8,60	13,50	21	84,50	68,00	1,470
450	450	190	9,40	14,60	21	98,80	80,00	1,610
500	500	200	10,20	16,00	21	116,00	93,00	1,740
550	550	210	11,10	17,20	24	134,00	109,00	1,880
600	600	220	12,00	19,00	24	156,00	125,00	2,010



Abmessungen INP DIN 1025-1 Formstahl

Abmessung	h mm	b mm	t _s mm	t _g mm	r mm	cm ²	kg/m	m ² /m
80	80	42	3,90	5,90	2,3	7,57	6,10	0,304
100	100	50	4,50	6,80	2,7	10,60	8,50	0,370
120	120	58	5,10	7,70	3,1	14,20	11,50	0,439
140	140	66	5,70	8,60	3,4	18,20	14,70	0,502
160	160	74	6,30	9,50	3,8	22,80	18,50	0,575
180	180	82	6,90	10,40	4,1	27,90	22,50	0,640
200	200	90	7,50	11,30	4,5	33,40	27,00	0,709
220	220	98	8,10	12,20	4,9	39,50	32,00	0,775
240	240	106	8,70	13,10	5,2	46,10	37,00	0,844
260	260	113	9,40	14,10	5,6	53,30	43,00	0,906
280	280	119	10,10	15,20	6,1	61,00	49,00	0,966
300	300	125	10,80	16,20	6,5	69,00	56,00	1,030
320	320	131	11,50	17,30	6,9	77,70	63,00	1,090
340	340	137	12,20	18,30	7,3	86,70	70,00	1,150
360	360	143	13,00	19,50	7,8	97,00	78,00	1,210
400	400	155	14,40	21,60	8,6	118,00	95,00	1,270
450	450	170	16,20	24,30	9,7	147,00	118,00	1,330
500	500	185	18,00	27,00	10,8	179,00	145,00	1,410



Abmessungen UNP DIN 1025-1 Formstahl

Abmessung	h mm	b mm	t _s mm	t _g mm	kg/m	m ² /m
80	80	45	6,00	8,00	8,90	0,312
100	100	50	6,00	8,50	10,90	0,372
120	120	55	7,00	9,00	13,70	0,434
140	140	60	7,00	10,00	16,40	0,489
160	160	65	7,50	10,50	19,30	0,546
180	180	70	8,00	11,00	22,50	0,611
200	200	75	8,50	11,50	26,00	0,661
220	220	80	9,00	12,50	30,00	0,718
240	240	85	9,50	13,00	34,00	0,775
260	260	90	10,00	14,00	39,00	0,834
280	280	95	10,00	15,00	43,00	0,890
300	300	100	10,00	16,00	48,00	0,950
320	320	100	14,00	17,50	61,00	0,982
350	350	100	14,00	16,00	62,00	1,050
380	380	102	13,50	19,00	65,00	1,110
400	400	110	14,00	18,00	74,00	1,180

